

DATA ON OUTSIDE RECOGNIZED LABORATORIES

From 15/05/2017 to 14/05/2020


OSL CODE:	6101024	CONTACT:	Sh. T. Bhavani Shanker, JD/ Dy. Quality Manager
NAME:	Central Power Research Institute (CPRI)	TELEPHONE:	080-23602457, 080-23601755, 9448141980 080-23601213
ADDRESS:	Prof. Sir C V Raman Road, Sadashivanagar Sub Post Office, P.B. No. 8066, Bangalore – 560080 (Karnataka)	FAX:	080-23601213
		E-mail:	tbs@cpri.in
		REMARKS:	Scope modified on 10/9/2018

S. No.	IS Number	Product	Testing Charges	Remarks
1	IS 335:1993	New Insulating Oils for Transformers and switchgears	Rs.36600/- (without SK Value) Rs. 37300 /- (with SK Value)	
2	IS 374:1979	Electric Ceiling Type Fans and Regulators	Rs.29950/-	
3	IS 398 (Part 2):1996	Aluminium conductors for overhead transmission purposes: Part 2 Aluminium conductors, galvanized steel reinforced	Rs.98550/-	
4	IS 398(Part 5):1992	Aluminium conductors for overhead transmission purposes: Part 5 Aluminium conductors - galvanized steel reinforced for extra high voltage (400 kV and above)	Rs.118850/-	
5	IS 648:2006	Cold rolled non-oriented electrical steel sheet and strip - Fully processed type	Rs.28900/-	
6	IS 694:2010	Polyvinyl Chloride Insulated Unsheathed--And Sheathed Cables/cords With Rigid And--Flexible Conductor For Rated Voltages--Up To And Including 1100 V	Excluding FRLS & Additional ageing tests: Rs.98450/- for 1-core sheathed; Rs.65100/- for 1-core unsheathed; Rs.143600/- for 2-core; Rs.158950/- for 3-core; Rs.198800/- for 4-core; Rs.232000/- for 5-core and above Excluding FRLS tests & including Additional ageing tests: Rs.135300/- for 1-core sheathed;	

			<p>Rs.96250/- for 1-core unsheathed; Rs.182950/- for 2-core; Rs.205300/- for 3-core; Rs.252150/- for 4-core; Rs.292350/- for 5-core and above</p> <p>Excluding Additional ageing & including FRLS tests: Rs.142600/- for 1-core sheathed; Rs.109250/- for 1-core unsheathed; Rs.187850/- for 2-core; Rs.203100/- for 3-core; Rs.242950/- for 4-core; Rs.276150/- for 5-core and above</p> <p>Including FRLS & Additional ageing tests: Rs.179450/- for 1-core sheathed; Rs.146000/- for 1-core unsheathed; Rs.227100/- for 2-core; Rs.249450/- for 3-core; Rs.296300/- for 4-core; Rs.336500/- for 5-core and above</p>	
7	IS 1180(Part 1):2014	Outdoor Type Oil Immersed Distribution Transformers Upto and Including 2 500 kVA, 33kV - Specification Part 1 Mineral Oil Immersed	<p>Single phase distribution transformers (Upto and including 25 kVA, 33 kV): Rs.37500/- for Routine tests; Rs.176950/- for Type tests above 11 kV class; Rs.34250/- for Special tests including BDV and Moisture content</p> <p>Three phase distribution transformers (Upto and including 2500 kVA, 33 kV): Routine tests: Rs.42600/- upto 100 kVA (without taps); Rs.50250/- Above 100 kVA & upto 630 kVA (4 taps); Rs.57900/- Above 100 kVA & upto 630 kVA (7 taps); Rs.63000/- Above 100 kVA & upto 630 kVA (9 taps); Rs.65650/- Above 630 kVA & upto 1600 kVA (7 taps); Rs.70750/- Above 630 kVA & upto 1600 kVA (9 taps); Rs.79450/- Above 1600 kVA & upto 2500 kVA (7 taps); Rs.84550/- Above 1600 kVA & upto 2500 kVA (9 taps)</p> <p>Type tests: Rs.198625/- Upto 100 kVA, 11 kV transformers (without taps); Rs.212200/- Upto 100 kVA, 33 kV transformers (without taps); Rs.230925/- Above 100 kVA & including 200 kVA, 11 kV transformers (4 taps); Rs.244500/- Above 100 kVA & including 200 kVA, 33 kV transformers (4 taps); Rs.246225/- Above 200 kVA & including 250 kVA, 11 kV Transformers (7 taps); Rs.259800/- Above 200 kVA & including 250</p>	

kVA, 33 kV Transformers (7 taps);
 Rs.273750/- Above 250 kVA & including 500
 kVA, 11 kV Transformers (7 taps);
 Rs.311300/- Above 250 kVA & including 500
 kVA, 33 kV Transformers (7 taps);
 Rs.382900/- Above 500 kVA & including 630
 kVA, 11 kV transformers (7 taps);
 Rs.539600/- Above 500 kVA & including 630
 kVA, 33 kV transformers (7 taps);
 Rs.393100/- Above 500 kVA & including 630
 kVA, 11 kV transformers (9 taps);
 Rs.549800/- Above 500 kVA & including 630
 kVA, 33 kV transformers (9 taps);
 Rs.539600/- Above 630 kVA & including
 1600 kVA, 11 kV / 33 kV Transformers (7
 taps);
 Rs.549800/- Above 630 kVA & including
 1600 kVA, 11 kV / 33 kV transformers (9
 taps);
 Rs.625550/- Above 1600 kVA & including
 2000 kVA, 11 kV / 33 kV Transformers(7
 taps);
 Rs.635650/- Above 1600 kVA & including
 2000 kVA, 11 kV / 33 kV transformers (9
 taps);
 Rs.717350/- Above 2000 kVA & including
 2500 kVA, 11 kV / 33 kV transformers (7
 taps);
 Rs.727550/- Above 2000 kVA & including
 2500 kVA, 11 kV / 33 kV transformers (9
 taps)
 Rs.122775/- Upto 100 kVA, 11 kV
 transformers (without taps);
 Rs.136350/- Upto 100 kVA, 33 kV
 transformers (without taps);
 Rs.155075/- Above 100 kVA &
 including 200 kVA, 11 kV transformers(4
 taps);
 Rs.168650/- Above 100 kVA &
 including 200 kVA, 33 kV transformers (4
 taps);
 Rs.170375/- Above 200 kVA &
 including 250 kVA, 11 kV transformers (7
 taps);
 Rs.183950/- Above 200 kVA & including 250
 kVA, 33 kV transformers (7 taps);
 Rs.197900/- Above 250 kVA & including 500
 kVA, 11 kV transformers (7 taps);
 Rs.235450/- Above 250 kVA & including 500
 kVA, 33 kV transformers (7 taps);
 Rs.284850/- Above 500 kVA & including 630
 kVA, 11 kV transformers (7 taps);
 Rs.441550/- Above 500 kVA & including 630
 kVA, 33 kV transformers (7 taps);
 Rs.295050/- Above 500 kVA & including 630
 kVA, 11 kV transformers (9 taps);
 Rs.451750/- Above 500 kVA & including 630
 kVA, 33 kV transformers (9 taps);

			Rs.449300/- Above 630 kVA & including 1600 kVA, 11 kV / 33 kV transformers (7 taps); Rs.459500/- Above 630 kVA & including 1600 kVA, 11 kV / 33 kV transformers (9 taps); Rs.552150/- Above 1600 kVA & including 2500 kVA, 11 kV / 33 kV transformers (7 taps); Rs.562350/- Above 1600 kVA & including 2500 kVA, 11 kV / 33 kV transformers (9 taps)	
8	IS 1554(Part 1):1988	PVC insulated (heavy duty) electric cables: Part 1 For working voltages up to and including 1100 V	Excluding FRLS: Rs.102500/- for 1-core; Rs.135550/- for 2-core; Rs.168600/- for 3-core; Rs.201700/- for 4-core Including FRLS: Rs.189900/- for 1-core; Rs.222900/- for 2-core; Rs.256000/- for 3-core; Rs.289100/- for 4-core Including FR: Rs.170950/- 1-single core; Rs.203950/- for 2-core; Rs.237050/- for 3-core; Rs.270150/- for 4-core	
9	IS 1554(Part 2):1988	PVC Insulated (Heavy Duty) Electric Cables - Part 2 : for Working Voltages from 3.3 kV up to and Including 11 kV	Excluding FRLS: Rs.173650/- for 1-core; Rs.364900/- for 2-core; Including FRLS: Rs.254300/- 1-single core; Rs.445550/- for 2-core	
10	IS 1651:2013	Stationary Cells and Batteries, Lead-Acid Type (With Tubular Positive Plates)	Rs.1,58,850/-	ISS included w.e.f. 23/7/2018
11	IS 1652:2013	Stationary Cells and Batteries, Lead-Acid Type (With Plante Positive Plates)	Rs.1,58,850/-	ISS included w.e.f. 23/7/2018
12	IS 1709:1984	Capacitors for Electric Fan Motors	Rs.374450/- for Routine & Type tests (26 Nos.); Rs.14650/- for Routine tests (26 Nos.); Rs.359800/- for Type tests (26 Nos.)	
13	IS 2418 (Part-1):1977	Tubular Fluorescent Lamps for General Lighting service – Part 1 – Requirements and Tests	Rs.86,100/-	ISS included w.e.f. 10/9/2018
14	IS 2418 (Part-3):1977	Tubular Fluorescent Lamps for General Lighting service – Part 3 – Dimensions of G-5 and G-13 Bi-Pin Caps	Rs.2,250/-	ISS included w.e.f. 23/7/2018


सत्यदेव लाल/SATYADEO LAL
 वैज्ञानिक - एक एवं प्रमुख (प्रयोगशाला)
Scientist - F & Head (Laboratory)
 भारतीय मानक ब्यूरो/Bureau of Indian Standards
 शाखा प्रयोगशाला/Bengaluru Branch Laboratory
 बंगलूरु
 बंगलूरु/Bengaluru - 560 058


15	IS 2418(Part-4):1977	Tubular Fluorescent Lamps for General Lighting service – Part 4 – Go and no-go Gauges for G-5 and G-13 Bi-Pin Caps	Rs.6,750/-	ISS included w.e.f. 23/7/2018
16	IS 2705(Part 1):1992	Current Transformers - Specification Part 1 General Requirements	Rs.82400 /- (upto 36 kV rating with 1 ratio & 35 kA rms for 1.0 Sec)	
17	IS 2705(Part 4):1992	Current transformers: Part 4 Protective current transformers for special purpose applications	Rs.5100/-	
18	IS 2993:1998	A.C. motor capacitors	Rs.520000/- for Routine & Type tests (42 Nos.); Rs.12850/- for Routine tests (10 Nos. or part thereof); Rs.455750/- for Type tests (42 Nos.)	
19	IS 3024:2015	Grain Oriented Electrical Steel Sheet and Strip	Rs.23500/-	
20	IS 7098(Part 1):1988	Cross-linked polyethylene insulated PVC sheathed cables: Part 1 For working voltage up-to and including 1100 V	Excluding FRLS: Rs.109050/- for 1-core; Rs.126450/- for 2-core; Rs.151650/- for 3-core; Rs.173650/- for 4-core Including FRLS: Rs.196450/- for 1-core; Rs.213850/- for 2-core; Rs.239050/- for 3-core; Rs.261050/- for 4-core Including FR: Rs.177500/- 1-core; Rs.194900/- for 2-core; Rs.220100/- for 3-core; Rs.242100/- for 4-core	
21	IS 7098(Part 2):2011	Cross-linked Polyethylene Insulated Thermoplastics Sheathed Cables - Part 2 for Working Voltages from 3.3 kV up to and Including 33 kV	PE sheathed: Rs.211800/- 1-core; Rs.425850/- for 3-core PVC sheathed: Rs.209250/- for 1-core; Rs.422050/- for 3-core FR PVC sheathed: Rs.270000/- for 1-core; Rs.482800/- for 3-core FRLS PVC sheathed: Rs.289900/- for 1-core; Rs.499600/- for 3-core	
22	IS 7098(Part 3):1993	Cross-linked polyethylene insulated thermoplastic sheathed cables: Part 3 For working voltages from 66 kV up-to and including 220 kV	PE Sheathed, 66 kV: Rs.471150/- for cables up to 1000 mm ² ; Rs.510750/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.624750/- for cables above 1600 mm ² and up to 2500 mm ²	

			PVC Sheathed, 66 kV: Rs.480200/- for cables up to 1000 mm ² ; Rs.505800/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.633800/- for cables above 1600 mm ² and up to 2500 mm ² PE Sheathed, 132 kV: Rs.1116950/- for cables up to 1000 mm ² ; Rs.1246950/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.1531950/- for cables above 1600 mm ² and up to 2500 mm ² PVC Sheathed, 132 kV: Rs.1126000/- for cables up to 1000 mm ² ; Rs.1242000/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.1541000/- for cables above 1600 mm ² and up to 2500 mm ² PE Sheathed, 220 kV: Rs.3275400/- for cables up to 1000 mm ² ; Rs.3487300/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.3880900/- for cables above 1600 mm ² and up to 2500 mm ² PVC Sheathed, 220 kV: Rs.3444200/- for cables up to 1000 mm ² ; Rs.3528400/- for cables above 1000 mm ² and up to 1600 mm ² ; Rs.3922000/- for cables above 1600 mm ² and up to 2500 mm ²	
23	IS 9968(Part 1):1988	Elastomer insulated cables: Part 1 For working voltages up-to and including 1100 V	Rs.142900/- for 1-core; Rs.261100/- for 3-core; Rs.320200/- for 4-core	
24	IS 9968(Part 2):2002	Elastomer-insulated Cables - Part 2 : For Working Voltages from 3.3 kV up to and Including 33kV	Rs.210050/- for 1-core; Rs.399750/- for 2-core	
25	IS 12762(Part-1):2010	Photovoltaic Devices – Part 1 – Measurement of Photovoltaic Current – Voltage Characteristics	Rs.5,000/-	ISS included w.e.f. 23/7/2018
26	IS 13010:2002	A.C. Watthour Meters, Class 0.5, 1 and 2	Rs.181500/- for Type tests of 1-phase or 3-phase kWh meters (9 samples of same rating)	
27	IS 13314:1992	Solid State Inverters Run from Storage Batteries	Rs.2,18,100/-	ISS included w.e.f. 23/7/2018
28	IS 13340 (Part 1):2012	Power Capacitors of Self-healing Type for Ac Power Systems Having Rated Voltage Up to 650 V	Routine tests: Rs.13850/- Type tests: Rs.170800/- for 1 - 4 kvar Rs.178800/- for 5 - 10 kvar Rs.233500/- for 11 - 30 kvar Rs.228200/- for 31 - 50 kvar Rs.537100/- for 51 - 100 kvar	

			Routine & Type tests: Rs.184650/- for 1 - 4 kvar Rs.192650/- for 5 - 10 kvar Rs.217350/- for 11 - 30 kvar Rs.242050/- for 31 - 50 kvar Rs.550950/- for 51 - 100 kvar	
29	IS 13369:1992	Stationary Lead-Acid Batteries (With Tubular Positive Plates) in Monobloc Containers	Rs.1,21,450/-	ISS included w.e.f. 23/7/2018
30	IS 13585 (Part 1):2012	Shunt Power Capacitors Of The Non -Self - Healing Type For ac Systems Having A Rated Voltage up to and Including 1 000 V-- PART 1 General - Performance, Testing and Rating - Safety Requirements - Guide for Installation and Operation	Routine tests: Rs.13850/- Type tests: Rs.191700/- for 1 - 4 kvar Rs.194650/- for 5 - 10 kvar Rs.212050/- for 11 - 30 kvar Rs.229500/- for 31 - 50 kvar Rs.460750/- for 51 - 100 kvar Routine & Type tests: Rs.205550/- for 1 - 4 kvar Rs.208500/- for 5 - 10 kvar Rs.225900/- for 11 - 30 kvar Rs.243350/- for 31 - 50 kvar Rs.474600/- for 51 - 100 kvar	
31	IS 13703 (Part 2/ Sec1):1993	Low-voltage fuses for voltages not exceeding 1 000 V AC or 1 500 V DC: Part 2 Fuses for use by authorized persons, Sec 1 Supplementary requirements	Rs.70250/- upto 200 A; Rs.76650/- upto 1000 A	
32	IS 13779:1999	A.C. Static Watthour Meters, Class 1 And 2	Rs.148500/- for Type tests of 1-phase or 3-phase whole direct) connected meters (3 samples of same rating); Rs.261000/- for Type tests and DLMS Compliance test (Two communication ports)	
33	IS 14255:1995	Aerial Bunched Cables for working voltages up to and including 1100 Volts	Rs.51250/- (1ph + 1 bare mes); Rs.72550/- (1ph + 1 ins. Mes); Rs.98450/- (3ph + 1 bare mes); Rs.119750/- (3ph + 1 ins. mes); Rs.122050/- (3ph + 1 bare mes + 1 SL) Rs.143300/- (3ph + 1 ins. Mes + 1 SL)	
34	IS 14494:1998	Elastomer insulated flexible cables for use in mines	LT cables: Rs.168450/- for 1-core; Rs.272250/- for 3-core; Rs.324150/- for 4-core; Rs.376050/- for 5.core; Rs.427950/- for 6-core; Rs.479850/- for 7-core HT cables: Rs.212900/- for 1-core; Rs.379600/- for 3-core; Rs.480050/- for 4-core; Rs.547600/- for 5.core; Rs.631600/- for 6-core;	

			Rs.715600/- for 7-core	
35	IS 14697:1999	A.C. Static Transformer Operated Watthour and Var-hour Meters, Class 0.2 S and 0.5 S	Rs.188800/- for Type tests of 3-phase LT CT operated meters (3 samples of same rating); Rs.301300/- for Type tests and DLMS Compliance test (Two communication ports)	
36	IS 15549:2005	Stationary Regulated Lead-Acid Batteries	Rs.2,58,750/-	ISS included w.e.f. 23/7/2018
37	IS 15959 (Part 1): 2011	Data Exchange for Electricity Meter - Reading Tariff and Load Control - Companion Specification Part 1 Static Energy Meter	Rs.112500/- for compliance tests (Two communication ports)	
38	IS 15959 (Part 2): 2016	Data Exchange for Electricity Meter Reading, Tariff and Load Control - Companion Specification Part 2 Smart Meter	Rs.100000/- for compliance tests : One communication port (Optical) Rs.30000/- for Communicability test	
39	IS 15959 (Part 3): 2017	Data Exchange for Electricity Meter Reading, Tariff and Load Control - Companion Specification Part 3 Smart Meter (Transformer Operated)	Rs.100000/- for compliance : One communication port (Optical) Rs.30000/- for Communicability test	Included w.e.f. 28/9/2017
40	IS 16102(Part-1):2012	Self-Ballasted LED Lamps for General Services – Part 1 – Safety Requirements	Rs.25,000/-	ISS included w.e.f. 23/7/2018
41	IS 16106:2012	Method of Electrical and Photometric Measurements of Solid State Lighting (LED) Products	Rs.58,000/-	ISS included w.e.f. 10/9/2018
42	IS 16169:2014	Test Procedure for Islanding Prevention Measures for Utility-Interconnected Photovoltaic Inverters	Rs.1,10,000/- up to 20 kW; Rs.1,40,000/- Above 20 kW- up to 50 kW; Rs.2,20,000/- Above 50kW - up to 100kW; Rs.3,20,000/- Above 100 kW- up to 200kW	ISS included w.e.f. 23/7/2018
43	IS 16221 (Part 1):2016	Safety of Power Converters for Use in Photovoltaic Power Systems – Part 1 – General Requirements	Rs.12,37,000/- up to 20 kW; Rs.15,09,000/- Above 20 kW- up to 50 kW; Rs.19,53,000/- Above 50kW - up to 100kW; Rs.25,46,000/- Above 100 kW- up to 200kW	ISS included w.e.f. 10/9/2018
44	IS 16221 (Part 2):2015	Safety of Power Converters for Use in Photovoltaic Power Systems – Part 2 – Particular Requirements for Inverters	Rs.2,20,000/- up to 20 kW; Rs.3,00,000/- Above 20 kW- up to 50 kW; Rs.3,80,000/- Above 50kW - up to 100kW; Rs.4,70,000/- Above 100 kW- up to 200kW	ISS included w.e.f. 10/9/2018
45	IS 16270:2014	Secondary Cells and Batteries for Solar Photovoltaic Applications – General Requirements and Methods of Tests	Rs.2,78,100/-	ISS included w.e.f. 23/7/2018


46	IS 16444 (Part 1):2015	A.C. Static Direct Connected Watthour Smart Meter Class 1 and 2	<p>Rs.455800/- for all tests on 1-phase smart meter (4 samples of same rating) with UC1 category load switch*</p> <p>Rs.568800/- for all tests on 1-phase smart meter (8 samples of same rating) with UC2 or UC3 category load switch*</p> <p>Rs.548900/- for all tests on 3-phase smart meter (4 samples of same rating) with UC1 category load switch*</p> <p>Rs.722500/- for all tests on 3-phase smart meter (8 samples of same rating) with UC2 or UC3 category load switch*</p> <p>* Inclusive of Data exchange protocol, tests for smart meter communicability as per IS 15959 (Part 2)</p>	<p>Exclusion: Equipment Type Approval (ETA) of modules for WAN/NAN/IHD shall be approved by designated agency authorized by DoT (CI.10.6.1). This is not part of testing</p> <p>Sub-contracting: 'Radio-interference Measurement' as per cl.5.5.5 of IS 15884:2010 sub-contracted to ETDC, Bangalore; 'Immunity to Electromagnetic HF Field' as per cl.5.5.3 of IS 15884:2010 to CPRI, Bhopal</p>
47	IS 16444 (Part 2):2017	A.C. Static Transformer Operated Watthour and Var-Hour Smart Meters, Class 0.2 S, 0.5 S and 1.0 S Part 2 Specification Transformer Operated Smart Meters	<p>Rs.318800/- for all tests on 3-phase smart meter (4 samples of same rating)</p> <p>Inclusive of Data exchange protocol and tests for smart meter communicability as per IS 15959 (Part 3)</p>	<p>Included w.e.f. 28/9/2017</p> <p>Exclusion: Equipment Type Approval (ETA) of modules for WAN/NAN/IHD shall be approved by designated agency authorized by DoT (CI.9.5.1). This is not part of testing</p>
48	IS 16636:2017	Automatic Power Factor Correction panel for voltage ratings upto and including 1000V	<p>Temperature rise: Rs.75000/- for upto 200 kvar; Rs.100000/- for 201 - 600 kvar</p> <p>Di-electric properties: Rs.{6800/- x (6 + No. of stages in the panel)};</p>	<p>Included w.e.f. 28/9/2017</p>


 सत्यदेव लाल/SATYADEO LAL
 वैज्ञानिक - एक एवं प्रमुख (प्रयोगशाला)
Scientist - F & Head (Laboratory)
 भारतीय मानक ब्यूरो/Bureau of Indian Standards
 बंगलूरु शाखा प्रयोगशाला/Bengaluru Branch Laboratory
 पीएचए पहली स्टेज/Peenva 1st Stage
 बंगलूरु/Bengaluru - 560 058

			<p>Transient over-current due to capacitor switching: Rs.8850/- per stage x No. of identical stages</p> <p>Verification of APFC feature: Rs.22000/- upto 200 kvar; Rs.25500/- for 201 – 400 kvar; Rs.29700/- for 401 – 600 kvar</p> <p>Other tests like SC, IP test etc: Depending on the design of panel</p>	
49	IS/IEC 60898 (Part 1):2002	Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations : Part 1 Circuit-breakers for ac operation	<p>Test Sequence A: Rs.28200/-, Rs.30750/-, Rs.33300/-, Rs.35850/- for single, double, triple, four pole MCB respectively;</p> <p>Test Sequence B: Rs.210950/-, Rs.226250/-, Rs.246650/-, Rs.279800/- for single, double, triple, four pole MCB respectively;</p> <p>Test Sequence C1 : Rs.140100/-, Rs.150150/-, Rs.206250/-, Rs.219000/- for single, double, triple, four pole MCB respectively;</p> <p>Test Sequence C2 : Rs.55200/-, Rs.62850/-, Rs.108600/-, Rs.116250/- for single, double, triple, four pole MCB respectively;</p> <p>Test Sequence D0 + D1 : Rs.138400/-, Rs.152850/-, Rs.163050/-, Rs.170750/- for single, double, triple, four pole MCB respectively;</p> <p>Test Sequence E1 + E2 : Rs.106050/-, Rs.121350/-, Rs.141750/-, Rs.157050/- for single, double, triple, four pole MCB respectively</p>	
50	IS/IEC 60947 (Part 2):2003	Low-Voltage Switchgear and Controlgear - Part 2 : Circuit Breakers	<p>Test Sequence I: Rs.185350/- for upto 200A; Rs.188550/- for 201 – 1000 A</p> <p>Test Sequence II: Rs.91650/- for upto 200A; Rs.94850/- for 201 – 1000 A</p> <p>Test Sequence III: Rs.64350/- for upto 1000A</p> <p>Test Sequence IV: Rs.107450/- for upto 200A; Rs.110650/- for 201 – 1000 A</p> <p>Test Sequence V: Rs.117650/- for upto 200A; Rs.120850/- for 201 – 1000 A</p> <p>Combined Test Sequence V: Rs.140700/- for upto 200A; Rs.143900/- for 201 – 1000 A</p>	
51	IS/IEC 60947 (Part 3):1999	Low voltage switchgear and controlgear : Part 3 Switches, disconnectors, switch-disconnectors and fuse combination units	<p>Test Sequence I: Rs.111900/- for upto 1000 A (without impulse voltage rating); Rs.135900/- for upto 1000A (with impulse voltage rating);</p>	

			Test Sequence II: Rs.53800/- for upto 200A; Rs.57000/- for 201 – 1000 A Test Sequence III: Rs.66900/- for upto 200A; Rs.70100/- for 201 – 1000 A Test Sequence IV: Rs.66900/- for upto 200A; Rs.70100/- for 201 – 1000 A	
52	IS/IEC 60947 (Part 4/Sec 1):2000	Low-Voltage Switchgear and Controlgear - Part 4 : Contractors and Motor-Starters - Section 1 : Electromechanical Contactors and Motors-Starters	Test Sequence I: Rs.21550/- for contractor upto 200 A (without impulse voltage rating); Rs.45550/- for contractor upto 200 A (with impulse voltage rating); Rs.71950/- for starter upto 200 A (without impulse voltage rating); Rs.95550/- for starter upto 200 A (with impulse voltage rating); Rs.24750/- for contractor upto 1000 A (without impulse voltage rating); Rs.48750/- for contractor upto 1000 A (with impulse voltage rating); Rs.75150/- for starter upto 1000 A (without impulse voltage rating); Rs.99150/- for starter upto 1000 A (with impulse voltage rating); Test Sequence II: Rs.94150/- for upto 1000 A Test Sequence III: Rs.103300/- for upto 1000 A Test Sequence IV: Rs.3550/- for upto 1000 A Test Sequence V: Rs.38800/- for upto 1000 A	
53	IS/IEC 61683:1999	Photovoltaic System – Power Conditioners -Procedure for Measuring Efficiency	Rs.65,000/- upto 5kVA; Rs.80,200/- Above 5kVA - upto 10 kVA; Rs.1,26,750/- Above 10kVA - upto 50 kVA; Rs.1,78,000/- Above 50kVA - upto 100 kVA; Rs.2,30,000/- Above 100kVA - upto 200kVA	IS/IEC included w.e.f. 23/7/2018

Seve


सत्यदेव लाल/SATYADEO LAL
वैज्ञानिक - एफ एवं प्रमुख (प्रयोगशाला)
Scientist - F & Head (Laboratory)
भारतीय मानक ब्यूरो/Bureau of Indian Standards
बेंगलूरु शाखा प्रयोगशाला/Bengaluru Branch Laboratory
पीन्या पहली स्टेज/Peenya 1st Stage
बेंगलूरु/Bengaluru - 560 058