Revision No.: 05 Issue No. : 02

Page No.: 1 of 2 Issued by : PA

Section: Formats Document: PPM

Topic: Price Bid format for local supplies (Indigenous offer) FORMAT NO.:CPRI/PUR/⊕PBID/IND

Section IV L - Price Bid for local supplies

CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI

Tender Enquiry No: STDS/12-01/2020-21/PUR/RTL-NK-06

Description of the Equipment/Goods/Services: Hot and Cold Test Chamber

Name and address of the Bidder *

Quotation Number and Date*

HSN code (Harmonized system nomenclature)*

SAC code (Services Accounting Code)*

Income Tax permanent account number(PAN)*

Details of EMD submitted*

Sl.No	Particulars	Qty	Unit Rate in Rupees	Total Amount in Rupees
1	Basic Price (Including mandatory spares, packing and forwarding charges)			0.00
	(The list of mandatory spares shall be provided in the technical bid without mentioning the	1		
	price) Insurance is under Supplier's Scope			
1(a)	GST rate as applicable in percentage only			
	IGST			0.00
	CGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
2	Transportation Charges (To be Quoted in Lumpsum ,if applicable)			0.00
2(a)	GST rate as applicable in percentage only			
	CGST			0.00
	IGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
3	Installation and Commissioning Charges (To be			0.00
	Quoted in Lumpsum ,if applicable)			
3(a)	GST rate as applicable in percentage only			
	CGST			0.00
	IGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
	TOTAL LANDED COST			0.00
	Total Landed Cost in Words			

Revision No.: 05 Issue No.: 02

Topic: Price Bid format for local supplies (Indigenous offer) FORMAT NO.:CPRI/PUR/@PBID/IND

TOP	Topic : Trice bia formación focus supplies (margenous offer)									
	Section IV L - Price Bid for local supplies									
	CENTRAL POWER RESEARCH INSTITUTE, BENGALURU/BHOPAL Web: www.cpri.in,									
	www.tenderwizard.com/CPRI									
4	OPTION-1: Post warrenty comprehensive AMC including, Labour, Travel, Spare Parts etc. in INR (lumpsum) (This cost is optional hence will not to be considered for cost comparission evaluations.)									
5	OPTION-2: Optional accessories in INR (lumpsum) List of items with breakup price to be furnished in case CPRI demands for the same.									
6	Guarantee/Warrantee period									
7	After sales and service facility (location of the facility and address to be furnished)									
8	Delivery period									
9	Validity of the offer									
10	Payment terms (as per CPRI payment terms)									
11	Details of enlistment if any under Department of expenditutre, Minsitry Of Finance, GOI.									
12	Name and address of the customer, if any to whome a similar equipment/items has been supplied with their purchase order number and date (as per the APPENDIX I).									
13	Whether a similar equipment could be demonstrated to our representative in case required.									
15	Acceptance for submission of security deposit in the event of placement of order.									

PN:

- 1) The price bid shall be submitted in this format only.
- 2) All blue fields are madatorily to be filled in.
- 3) As a policy of CPRI High Sea Sales bids are not acceptable and shall be rejected.
- 4) CPRI reserves the right to conduct "predispatch inspection" prior to dispatch at the works of the supplier and the expenditure towards PDI shall be borne by CPRI. However information regarding the rediness of the equipment/machinary for the PDI shall be communicated in writing at lease 70 days in advance.
- 5)UNDER TAKING: THE OFFER MADE IS IN STRICT COMPLAINCE WITH THE QUALITY AND OTHER TECHNICAL REQUIREMENT MENTIONED IN SECTION IV T.

Revision No.: 05 Issue No : 2

Page No. : 1 of 2 Issued by : Q A
Section : Formats Documents : PPM

Topic : Price bid format for Non - Local supplies FORMAT NO.:CPRI/PUR/@PBID/IMP

(Import) offers

Section IV NL - Price Bid format for Non - Local supplies (Import) Offer

CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI

Tender Enquiry No: STDS/12-01/2020-21/PUR/RTL-NK-06

Description of the Equipment/Goods/Services: Hot and Cold Test Chamber

Name and address of the Bidder					
Quotation N	Number and Date				
HSN code (H	armonized system nomenclature)				
GSTIN No (if	applicable)				
SAC code (Se	SAC code (Services Accounting Code)				
Income Tax	Income Tax permanent account number(PAN)				
Details of EN	AD submitted				
Sl.no	Partuculars	Qty	Unit Rate in Figures	Currency Type	Amount
1	FOB value of the complete system (Including mandatory spares, packing and forwarding charges)	1			0.00

31.110	1 artutulars	Qty	in Figures	Type	Amount
1	FOB value of the complete system (Including mandatory spares, packing and forwarding charges) (The list of mandatory spares shall be provided in the technical bid without mentioning the price)	1	g		0.00
2	Insurance charges upto CPRI(ware house to ware house basis in Lumpsum)				0.00
3	Freight Charges,As applicable(Lumpsum)				
	3a) Air Freight Charges.(Lumpsum)				0.00
	3b) Sea Freight Charges.(Lumpsum)				0.00
4	Total CIP/CIF cost				0.00
	Total CIP/CIF cost in words				
5	Installation and commission charges in INR (Lumpsum)				0.00
5(a)	GST as applicable (GST rate in percentage only)				
	IGST				0.00
	CGST				0.00
	SGST				0.00
	UTGST				0.00
	CESS if any				0.00
	TOTAL COST				0.00
	Total Cost in Words				

Revision No.: 05 Issue No : 2

Page No. : 2 of 2
Section : Formats

Topic : Price bid format for Non - Local supplies

Issue No. : 2
Issue Dt : 30 06 2003
Issued bv : O A
Documents : PPM
FORMAT

(Import) offers NO.:CPRI/PUR/@PBID/IMP

Section IV NL - Price Bid format for Non - Local supplies (Import) Offer

CENTRAL POWER RESEARCH INSTITUTE, BENGALURU/BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI

	www.tenderwizard.com/CPRI						
Sl.no	Partuculars	Qty	Unit Rate in Figures	Currency Type	Amount		
6	OPTION-1: Post warrenty comprehensive AMC including, Labour, Travel, Spare Parts etc. in INR (lumpsum) (This cost is optional hence will not to be considered for cost comparission evaluations.)						
7	OPTION-2: Optional accessories in INR (lumpsum) List of items with breakup price to be furnished in case CPRI demands for the same. (This cost is optional hence will not to be considered for cost comparission evaluations.)						
2	Guarantee/Warrantee period			,			
3	After sales and service facility (location of the facility and address to be furnished)						
4	Delivery period						
5	Validity of the offer						
6	Payment terms (as per CPRI payment terms)						
9	Name and address of the customer, if any to whome a similar equipment/items has been supplied with their purchase order number and date (as per the APPENDIX I).						
10	Whether a similar equipment be demonstrated to our representative in case required.						
12	Acceptance for submission of security deposit in the event of placement of order.						

NOTE: CPRI IS EXEMPTED FROM PAYMENT OF CUSTOMS DUTY UNDER NOTIFICATION NO.51/96 DATED 23-071996 AND AMENDED NOTIFICATION NO.24/2007-CUSTOMS DATED 1-3-2007(HOWEVER CONCESSIONAL CUSTOMS DUTY AND ADDITIONAL CUSTOMS DUTY AS APPLICABLE WIIL BE CONSIDERED.

UNDER TAKING: THE OFFER MADE IS IN STRICT COMPLAINCE WITH THE QUALITY AND OTHER TECHNICAL REQUIREMENT MENTIONED IN SECTION IV T

Revision 1: 04

Dt of Revi: 27.08.2020 Page No. : 1 of -----Section : Formats

Issue No:2

Issue Dt.: 30.06.2003 Issued by: PA

Documents: PPM

FORMAT NO .: CPRI/PUR/@TBID/GTP

Section IV T -Technical Specification

CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI

Tender Enquiry No: STDS/12-01/2020-21/PUR/RTL-NK-06

Description of the Equipment/Goods/Services : Hot and Cold Test Chamber.

Note: 1) The technical bid submitted in other than this format is liable to be rejected.

2) All blue fields are mandatorily to be filled in.

Topic : Technical Specifications format

Name of	Name of the Vendor						
Quotation Number and Date							
				To be completed by the Bidder			
Sl.No.	Parameters	CPRI Specification / Requirements	Qty	Detials of guaranteed technical parameters offered by the bidder	Guaranteed Technical Particulars (GTP)	Specify deviations/ Remarks if any	
1	Scope	Design, Manufacturing, Supply, Installation , commissioning and training . Place of Installation : CPRI Nashik	1				
2	Pre-qualification	The same equipment must have been supplied to at least two NABL accredited Govt. Laboratories and shall be in successful operation. Copy of PO and performance certificate shall be provided with the bid.					
3	Quantity	one					
4	Place of Delivery	RTL ,Nashik					
5	Standard	Construction and design shall be as per IS 9002 Part I and Part II and IS 9000 part II and III					
6	Temperature Range	- 40°C to 100 °C					
7	Accuracy	Temp: ± 1°C					
8	Temperature uniformity	± 1°C maximum over the entire volume of the chamber					
9	Ramp Rate	minimum 5°C per minute (Average)					
10	Internal size of the chamber	1000mm X 1000mm X 1000mm					
11	Construction inner and outer	Inner:Double walled ,Non Magnetic Stainless Steel ANSI 304 grade of 20SWG thick.The surface shall be stain finished and vapor tight.					
		Outer:Non magnetic stainless steel ANSI 304 grade of 20SWG thick.The exterior surface shall be high wear resistant surface shall be satin finished					
12	Insulation	Glass wool of high density and low k factor and shall act as a permanent vapor barrier					
13	Castrol Wheel	Unit shall have 4 No's of durable lockable wheel revolving type(Rotating 360 degree)					
14	View glass (Window)	Viewing glass for sample viewing 300X300 mm on the front door with defogging arrangement such as provision of wiper.					
15	Door	Lockable door with robust hinges on right hand side.Inner shall be made of stainless steel 304 grade of at least 1mm thickness with leak proof gasket.					

					1
	Locking	Leak proof locking arrangement for door.			
17	Glass Door	Leak proof Glass door shall be provided inside the chamber.			
10	Illianiantian	Chamber shall be provided with a total reflecting light and switch to			
18	Illumination	illuminate the test space during test	l ,		
10	Opening for cables and	Opening of at least 60mm on left or right side for inserting cables during			
19	wires	test. Provision for closing the opening when not in use.	l		
		Air cooled condensor with cascade refrigeration .Refrigerant shall be	 -		
20	Cooling System	environmment friendly. Evaporator shall be finned copper	l		
		tubes.Compressor shall be mounted with anti-vibration mounting.	l		
		The heating of the chamber shall be done by using fined heaters of suitable			
21	Heating System	capacity. There shall not be direct radiation of the heat on the test	l		
	Treating by Stein	specimen.	l		
22	Temp Control	Microprocessor Programmable	$\vdash \vdash \vdash$		
	Temp control	Touch screen PLC based controller with user friendly menu for	\vdash		
		programming set values ,cycles.Set temp,humidity,time	l		
23	Controller	cycle,segment/step. Controller shall store the programm and it shall be	l		
		possible resume program from break point in case of power failure.	l		
		TFT screen display with 120X 160 pixels.	\vdash		
	Display	The following parameters shall be displayed-Elapsed time,set time,Dry	l 1		
24		temp,Wet temp,Set temp,Current Program,Current Cycle Display	l		
		shall be accessible remotely via internet for monitoring.	l i		
		No of Programme: 20 Minimum No	$\vdash \vdash \vdash$		
25	Controllers shall be	of Cycle:10 Minimum No	l i		
45	capable of programming	of Segment/Steps:100 minimum	l		
26	Indicators		\vdash		
20	Software and	Dry Heater, Compressor, etc, RS232/485 serial interfaces for bi-ditrectional communication with	\vdash		
27	Communication	external computer. It Shall be possible to creatae and execute test	l i		
<u> </u>	Communication	Full proof protection for over temp and under temp(minimum two level	\vdash		
28	Protection	protection) Over	l i		
—	+	2 Nos of stainless steel shelves shall be provided for placing the samples	\vdash		
29	Shelves		l i		
		during testing.	\vdash		
30	Power Supply	415V± 10% three phase supply ,50Hz ± 5%	\vdash		
31	Calibration	Calibartion certificate of complete chamber from NABL Accredited	l i		
31	Samoration	Laboratory shall be provided in the name of CPRI Nashik	l j		
		Two days training excluding duration of Installation and commissioning to			
32	Training	CPRI Engineers on all aspects of operation and maintenance at CPRI	l j		
	1 I dimilig	Nashik.	l i		
		One Year form the date of Installation and Commissioning.	<u> </u>		
		The supplier has to give undertaking regarding post warranty technical	l i		
33	Warrantee		l i		
		support, service and supply of spare parts for successful operation of the	l i		
		equipment's for ten year.			
24	Instruction and service	Two sets of instruction cum maintence manual.Complete drawings	l j		
34	manual	including refrigeration and electrical circuit.	l i		
		Purchase Authority Central Power Research Institute Govindnura Rhonal-46		1.6 000000000000000000000000000000000000	

Address: Joint Director (Purchase), Purchase Authority, Central Power Research Institute, Govindpura, Bhopal-462023, Telefax: 0755-2586283, email:khairwar@cpri.in , web: www.cpri.in