# PROCUREMENT PROCEDURE OF CPRI (NON WORKS) : 02 Revision No.: 05 Issue No. Dt of Revision: 27.08.2020 Issue Dt. : 30.06.2003 : PA Page No.: 1 of 2 Issued by Section: Formats **Document** : PPM FORMAT NO.:CPRI/PUR/ePBID/IND Topic: Price Bid format for local supplies (Indigenous offer) Section IV L - Price Bid for local supplies CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI Description of the Equipment/Goods/Services: Supply,Installation,Commissioning and training of Electrostatic Dischage Simulator (ESD). Name and address of the Bidder \* Quotation Number and Date\* HSN code (Harmonized system nomenclature) \* GSTIN No \* SAC code (Services Accounting Code) \* Income Tax permanent account number(PAN)\* Details of EMD submitted\* Sl.No Unit Rate in **Particulars** Qty **Total Amount in Rupees** Runees

1	Basic Price (Including mandatory spares, packing and forwarding charges) (The list of mandatory spares shall be provided in the technical bid without mentioning the price) Insurance is under Supplier's Scope	1	1.00	1.00
1(a)	GST rate as applicable in percentage only			
1(4)	IGST			0.00
	CGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
2	Transportation Charges (To be Quoted in Lumpsum ,if			0.00
	applicable)			
2(a)	GST rate as applicable in percentage only			
	CGST			0.00
	IGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
3	Installation and Commissioning Charges (To be Quoted in			0.00
	Lumpsum ,if applicable)			
3(a)	GST rate as applicable in percentage only			
	CGST			0.00
	IGST			0.00
	SGST			0.00
	UTGST			0.00
	CESS if any			0.00
	TOTAL LANDED COST			1.00
	Total Landed Cost in Words			Rupees One Only

## PROCUREMENT PROCEDURE OF CPRI (NON WORKS)

 Revision No.: 05
 Issue No. : 02

 Dt of Revision : 27.08.2020
 Issue Dt. : 30.06.2003

 Page No.: 2 of 2
 Issued by : P A

 Section : Formats
 Document : PPM

Topic: Price Bid format for local supplies (Indigenous offer) FORMAT NO.:CPRI/PUR/@PBID/IND

### Section IV L - Price Bid for local supplies CENTRAL POWER RESEARCH INSTITUTE, BENGALURU/BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI Post warrenty comprehensive AMC including, Labour, Travel, Spare Parts etc. in INR (lumpsum) 4 (This cost is optional hence will not to be considered for cost comparission evaluations.) OPTION-2: Optional accessories in INR (lumpsum) 5 List of items with breakup price to be furnished in case CPRI demands for the same. Guarantee/Warrantee period 6 After sales and service facility (location of the facility and 7 address to be furnished) 8 Delivery period Validity of the offer 10 Payment terms (as per CPRI payment terms) 11 Details of enlistment if any under Department of expenditutre, Minsitry Of Finance, GOI. 12 Name and address of the customer, if any to whome a similar equipment/items has been supplied with their purchase order number and date (as per the APPENDIX I). 13 Whether a similar equipment could be demonstrated to our representative in case required. 15 Acceptance for submission of security deposit in the event of

#### PN:

- 1) The price bid shall be submitted in this format only.
- 2) All blue fields are madatorily to be filled in.
- 3) As a policy of CPRI High Sea Sales bids are not acceptable and shall be rejeced.
- 4) CPRI reserves the right to conduct "predispatch inspection" prior to dispatch at the works of the supplier and the expenditure towards PDI shall be borne by CPRI. However information regarding the rediness of the equipment/machinary for the PDI shall be communicated in writing at lease 70 days in advance.
  5) UNDER TAKING: THE OFFER MADE IS IN STRICT COMPLAINCE WITH THE QUALITY AND OTHER TECHNICAL REQUIREMENT MENTIONED IN SECTION IV T.

## PROCUREMENT PROCEDURE OF CPRI (NON WORKS)

Revision No. Issue No: 2 : 27.08.2020 Dt of Revision Issue Dt. : 30.06.2003 Page No. : 1 of 2 Issued by : Q ADocuments : PPM Section : Formats FORMAT NO.:CPRI/PUR/@PBID/IMP : : Price bid format for Non - Local supplies Topic

(Import) offers Section IV NL - Price Bid format for Non - Local supplies (Import) Offer CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI Tender Enquiry No : STDS/12-01/2022-23/PUR/RTL-NK-22 Description of the Equipment/Goods/Services : Supply,Installation,Commissioning and training of Electrostatic Dischage Simulator (ESD). Name and address of the Bidder Quotation Number and Date HSN code (Harmonized system nomenclature) GSTIN No (if applicable) SAC code (Services Accounting Code) Income Tax permanent account number(PAN) Details of EMD submitted Sl.no Partuculars Qty Unit Rate in **Currency Type** Amount Figures 1 FOB value of the complete system (Including 1 0.00 mandatory spares, packing and forwarding charges) (The list of mandatory spares shall be provided in the technical bid without mentioning the price)
Insurance charges upto CPRI(ware house to 0.00 ware house basis in Lumpsum) 3 Freight Charges, As applicable (Lumpsum) 3a) Air Freight Charges.(Lumpsum) 0.00 3b) Sea Freight Charges.(Lumpsum) 0.00 Total CIP/CIF cost 4 0.00 Total CIP/CIF cost in words 5 Installation and commission charges in INR 0.00 (Lumpsum) GST as applicable (GST rate in percentage only) 5(a) IGST 0.00 0.00 CGST SGST 0.00 UTGST 0.00 CESS if any 0.00 TOTAL COST 0.00 **Total Cost in Words** PROCUREMENT PROCEDURE OF CPRI (NON WORKS) : 05 Revision No. Issue No: 2 : 27.08.2020 Dt of Revision Issue Dt. : 30.06.2003 Page No. : 2 of 2 Issued by : Q A Documents: PPM Section : Formats : : Price bid format for Non - Local supplies FORMAT NO.:CPRI/PUR/@PBID/IMP Topic (Import) offers Section IV NL - Price Bid format for Non - Local supplies (Import) Offer CENTRAL POWER RESEARCH INSTITUTE, BENGALURU/BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI Sl.no Partuculars 0tv Unit Rate in Currency Type Amount

**Figures** 

	OPTION-1:					
	Post warrenty comprehensive AMC including, Labour,					
6	Travel, Spare Parts etc. in INR (lumpsum)					
	(This cost is optional hence will not to be considered for cost					
	comparission evaluations.) OPTION-2:					
	Optional accessories in INR (lumpsum)					
7	List of items with breakup price to be furnished in case					
,	CPRI demands for the same.					
	(This cost is optional hence will not to be considered for cost comparission evaluations.)					
2	Guarantee/Warrantee period					
3	After sales and service facility (location of the					
	facility and address to be furnished)					
	,					
4	Delivery period					
5	Validity of the offer					
	_					
6	Payment terms					
	(as per CPRI payment terms)					
9	Name and address of the customer, if any to					
	whome a similar equipment/items has been					
	supplied with their purchase order number					
	and date (as per the APPENDIX I).					
10	Whether a similar equipment be					
	demonstrated to our representative in case					
	required.					
12	Acceptance for submission of security					
	deposit in the event of placement of order.					
OTE · CPRLIS	EXEMPTED FROM PAYMENT OF CUSTOMS DUTY LINDS	R NOTIFIC	CATION NO 51.	/96 DATED 23-07	1996 AND AMENDED NOTIFICA	TION

NOTE: CPRI IS EXEMPTED FROM PAYMENT OF CUSTOMS DUTY UNDER NOTIFICATION NO.51/96 DATED 23-071996 AND AMENDED NOTIFICATION NO.24/2007-CUSTOMS DATED 1-3-2007 (HOWEVER CONCESSIONAL CUSTOMS DUTY AND ADDITIONAL CUSTOMS DUTY AS APPLICABLE WIIL BE CONSIDERED.

UNDER TAKING: THE OFFER MADE IS IN STRICT COMPLAINCE WITH THE QUALITY AND OTHER TECHNICAL REQUIREMENT MENTIONED IN SECTION IV T

Revision No. : 04

Name of the Vendor

Dt of Revision : 27.08.2020 Page No. : 1 of ------

Section : Formats

Topic : Technical Specifications format

Issue No: 2

Issue Dt.: 30.06.2003

Issued by : P A

Documents : PPM

FORMAT NO.:CPRI/PUR/eTBID/GTP

## Section IV T -Technical Specification

# CENTRAL POWER RESEARCH INSTITUTE, BHOPAL Web: www.cpri.in, www.tenderwizard.com/CPRI

Tender Enquiry No: STDS/12-01/2022-23/PUR/RTL-NK-22

Description of the Equipment/Goods/Services: Supply,Installation,Commissioning and training of Electrostatic Dischage Simulator (ESD).

Note: 1) The technical bid submitted in other than this format is liable to be rejected.

2) All blue fields are mandatorily to be filled in.

Tallio O. tilo Tolladi							
Quotation Number and Date							
				To be completed by the Bidder			
SI.No.	Parameters	CPRI Specification / Requirements	Qty	Detials of guaranteed technical parameters offered by the bidder	Guaranteed Technical Particulars (GTP)	Specify deviations/ Remarks if any	
1	Scope	Supply,Installation,Commissioning and training of Electrostatic Dischage Simulator (ESD)	1 No.				
2	Place of delivery	RTL,CPRI,Nashik					
3	Warrantee	One year from date of successful installation and commissioning at CPRI.					
4	Operating Temperature :	Operating Temperature: (+)10°C to (+) 35°C and Relative Humidity: 30 % to 60 %					

				T	
		Mains power supply : 240V ± 10%, 50 Hz			
5	Standard	ESD Simulator shall be as per IEC 61000-			
		4-2 latest amendment			
		0 / 18: 1			
6	Output voltage	Contact Discharge: ±2 kV to ± 8 kV			
		Air Discharge : ± 2kV to ± 15 kV,			
7	Accuracy - voltage output	As per latest IEC 61000-4-2			
•	recuracy voltage output	7.6 per latest 12.6 01000 4 2			
8	Pulse network	As per latest IEC 61000-4-2			
9	Waveshape of the discharge	Waveshape of the discharge current			
	current	shall be as per IEC 61000-4-2 with latest			
		amendments			
10	Discharge Electrodes	Discharge electrodes for Air and Contact			
10	Distriarge Electrodes	Discharge as per latest IEC 61000-4-2			
		Districting as per latest 120 01000 12			
11	Polarity	Positive and Negative (switchable)			
12	Holding time	At least 5 sec.			
13	Energy storage capacitance	As per latest IEC 61000-4-2			
1.5	(Cs + Cd):	7.5 per latest 12.0 01000-4-2			
	(55 , 54).				
14	Discharging resistance (Rd)	As per latest IEC 61000-4-2			
	1		1		

15	Charging resistance (Rc)	Between 50 M $\Omega$ and 100 M $\Omega$ as per latest IEC 61000-4-2	
16	Operating modes:	Single and repetitive and continuous	
17	Discharge mode of operation:	Single discharge with at least 1 sec. time between successive discharges as per the standard	
		ESD Simulator shall be able to generate at a repetition rate of at least 20 discharges per sec for exploratory purpose as per IEC 61000-4-2	
18	Size/weight	The simulator shall be light weight, hand held and compact, easy to handle and operate	
19	Accessories	1 no. Ground return Cable 2m long as per the standard	
		Vertical Coupling Plane (VCP) as per the standard.	
		Bleeder Resistors - 2 x 470 kΩ resistors with cable of lengh 2 meters -2 Nos.	
		Carrying case for ESD Simulator shall be supplied	
20	Genreral Requirements	Generator shall be provided with means of preventing unintended radiation or conducted emissions.	
		Discharge electrodes shall confirm to the shapes and dimensions as per latest IEC61000-4-2	

		LCD Display to view/set test parameters and no. of discharges and to monitor status of test		
		Key button/ soft touch keys for setting test parameters.		
		Pulse counter to indicate pulses during execution of test.		
		Programming or setting of no of discharges and repetation rate shall be posible.		
		Battery with charger or AC adapter for direct operation from mains Power supply. Power supply cord shall be supplied.		
		Test on Indicator		
21	Instruction and service manual	One set of instruction cum maintenance manual with trouble shooting chart shall be provided		
22	Adapter for ESD voltage measurement	Adapter for ESD voltage measurement for intermidieate checks with earth conductor and suitable connectors shall be supplied.		
23	Calibration Certificate	Calibration certificate: Calibration of ESD generator shall be provided from laboratory accredited as per IEC/ISO 17025.		